

Inventors: Beylotte et al.
Title: VENDING MACHINE LOCK
Attorney Docket No.: 12027-0031






FIG. 1









FIG. 4






FIG. 6




FIG. 7





FIG. 8

Inventors: Beylotte et al.
Title: VENDING MACHINE LOCK
Attorney Docket No.: 12027-0031



၈၆၂




FIG. 11




FIG. 12

Attorney Docket No.: 12027-0031




FIG. 13




FIG. 15



FIG. 16






FIG. 18

This exploded perspective view shows the assembly of the device. Component 256 is the main housing with a central opening. Component 258 is a rectangular plate that fits into the housing. Component 260 is a curved, flexible strip. Component 262 is a small rectangular piece. Component 264 is a rectangular block with a central slot. Component 266 is a rectangular block. Component 268 is a small rectangular piece. Component 270 is a rectangular block. Component 274 is a rectangular block. The components are shown in their relative positions as they would be assembled.

195.




FIG. 20





FIG. 21



1





FIG. 23






FIG. 25





FIG. 26

Inventors: Beylotte et al.
Title: VENDING MACHINE LOCK
Attorney Docket No.: 12027-0031






FIG. 28




FIG. 29




FIG. 30




FIG. 31

Inventors: Beylotte et al.
Title: VENDING MACHINE LOCK
Attorney Docket No.: 12027-0031




FIG. 32




FIG. 33




FIG. 34